## **UL Product iQ®**



Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <a href="https://www.ul.com/about/locations">https://www.ul.com/about/locations</a>.

## Solid-state Lighting Bases, Holders and Connectors - Component

#### **COMPANY**

BJB GmbH & Co. KG

Werler Str. 1

Arnsberg, Nordrhein-Westfalen 59755 Germany

E345385

Marking: Company name model designation, and the Recognized Component Mark Note: For additional marking information, refer to the <u>Guide Information Page</u>.

**LED connectors and holders,** Model(s): 28.701.1001 may be provided with additional suffixes for commercial purposes **LED connectors and holders,** Model(s): 28.701.1002 may be provided with additional suffixes for commercial purposes **LED connectors and holders,** Model(s): 28.701.U301 may be provided with additional suffixes for commercial purposes **LED connectors and holders,** Model(s): 28.701.U302 may be provided with additional suffixes for commercial purposes

**LED connectors and holders,** Model(s): 47.315.2101.50 , 47.315.2111.50, 47.315.4001.50, 47.315.4002.50, 47.315.4005.50, 47.315.4006.50, 47.315.4009.50, 47.315.4011.50, 47.313 with suffixes .1000, .1101, .2101, .2201, .2301, .2401, .5001, .5101, and .5201.

LED connectors and holders, Model(s): 47.316.3001.50 may be provided with additional suffixes for commercial purposes.

LED connectors and holders, Model(s): 47.316.3002 may be provided with additional suffixes for commercial purposes

LED connectors and holders, Model(s): 47.316.3002.50 may be provided with additional suffixes for commercial purposes.

LED connectors and holders, Model(s): 47.318.1100 may be provided with additional suffixes for commercial purposes

LED light engine holders, Model(s): 28.107.2001, 28.107.2002, 28.108.2001, 28.108.2002

LED light engine holders, Model(s): 28.107 may be provided with additional suffixes for commercial purposes

LED light engine holders, Model(s): 28.108 may be provided with additional suffixes for commercial purposes

**LED light engine holders,** Model(s): Cat. No. 28.301 may be provided with the additional suffixes .1001, 1002, .1005 or .1006 for commercial purposes.

**Limited-application Device (LAD),** Model(s): 47.303 may be provided with additional prefixes and/or suffixes for commercial purposes

**Limited-application Device (LAD),** Model(s): 47.319 with suffixes .1010, .1020, .1030, .1040, .1050, .1070, .1080, .1090, .2010, .2011, .2013, .2020, .2021, .2023, .2025, .2026, .2030, .2033, .2040, .2050, .2051, .2055, .2070, .2080, .2090, .2131, .2134, .2135, .2141, .2144, .2145, .2151, .2154, .2155, .2170, .2224, .2225, .2254, .2255, .2274, .2275, .2280, .2281, .2314, .2315, .2344, .2345, .2350, .2360,

.2361, .2370, .2371, .4160, .5060, .5180, .5181, .6024, .6060, .6101, .6104, .6105, .6111, .6120, .6180, .6214, .6215, .6234, .6244, .6264, .6265, .6294, .6295, .6304, .6305, .6325 and .6380.

**Limited-application Device (LAD),** Model(s): 47.360 with suffixes .1010, .1020, .1030, .1040, .1110, .2050, .2100, .5080, .5090, .9201, .9202, .9203, .9204, .9205, .9301, .2105, .1025, .5084, .5010, .5015 which may be provided with additional prefixes and/or suffixes for commercial purposes.

**Limited-application Device (LAD),** Model(s): 47.361.2010 which may be provided with additional prefixes and/or suffixes for commercial purposes.

Limited-application Device (LAD), Model(s): 47.363 with suffixes .1001, .1002, .1003, .1004, .1005, .1006.

**Limited-application Device (LAD),** Model(s): 47.371 with suffixes .1031 and .1032 which may be provided with additional prefixes and/or suffixes for commercial purposes

**Limited-application Device (LAD),** Model(s): Cat. No. 47.361.1010 which may be provided with additional prefixes and/or suffixes for commercial purposes.

% - May be provided with additional prefixes and/or suffixes for commercial purposes.

(&) - which may be provided with additional prefixes and/or suffixes for commercial purposes.

<u>Last Updated</u> on 2024-02-15

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

## **UL Product iQ®**



Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <a href="https://www.ul.com/about/locations">https://www.ul.com/about/locations</a>.

# Solid-state Lighting Bases, Holders and Connectors Certified for Canada - Component

#### **COMPANY**

BJB GmbH & Co. KG

Werler Str. 1

Arnsberg, Nordrhein-Westfalen 59755 Germany

E345385

Marking: Company name model designation, and the Recognized Component Mark for Canada C Note: For additional marking information, refer to the Guide Information Page.

LED connectors and holders, Model(s): 28.701.1001 may be provided with additional suffixes for commercial purposes

LED connectors and holders, Model(s): 28.701.1002 may be provided with additional suffixes for commercial purposes

LED connectors and holders, Model(s): 28.701.U301 may be provided with additional suffixes for commercial purposes

LED connectors and holders, Model(s): 28.701.U302 may be provided with additional suffixes for commercial purposes

**LED connectors and holders,** Model(s): 47.315.2101.50 , 47.315.2111.50, 47.315.4001.50, 47.315.4002.50, 47.315.4005.50, 47.315.4006.50, 47.315.4009.50, 47.315.4011.50, 47.313 with suffixes .1000, .1101, .2101, .2201, .2301, .2401, .5001, .5101, and .5201.

LED connectors and holders, Model(s): 47.316.3001.50 may be provided with additional suffixes for commercial purposes.

LED connectors and holders, Model(s): 47.316.3002 may be provided with additional suffixes for commercial purposes

LED connectors and holders, Model(s): 47.316.3002.50 may be provided with additional suffixes for commercial purposes.

LED connectors and holders, Model(s): 47.318.1100 may be provided with additional suffixes for commercial purposes

LED light engine holders, Model(s): 28.107.2001, 28.107.2002, 28.108.2001, 28.108.2002

LED light engine holders, Model(s): 28.107 may be provided with additional suffixes for commercial purposes

LED light engine holders, Model(s): 28.108 may be provided with additional suffixes for commercial purposes

**LED light engine holders,** Model(s): Cat. No. 28.301 may be provided with the additional suffixes .1001, 1002, .1005 or .1006 for commercial purposes.

**Limited-application Device (LAD),** Model(s): 47.303 may be provided with additional prefixes and/or suffixes for commercial purposes

**Limited-application Device (LAD),** Model(s): 47.319 with suffixes .1010, .1020, .1030, .1040, .1050, .1070, .1080, .1090, .2010, .2011, .2013, .2020, .2021, .2023, .2025, .2026, .2030, .2033, .2040, .2050, .2051, .2055, .2070, .2080, .2090, .2131, .2134, .2135, .2141, .2144, .2145, .2151, .2154, .2155, .2170, .2224, .2225, .2254, .2255, .2274, .2275, .2280, .2281, .2314, .2315, .2344, .2345, .2350, .2360,

20.02.24, 11:36 OLFB8.E345385 - Solid-state Lighting Bases, Holders and Connectors Certified for Canada - Component | UL Product iQ

.2361, .2370, .2371, .4160, .5060, .5180, .5181, .6024, .6060, .6101, .6104, .6105, .6111, .6120, .6180, .6214, .6215, .6234, .6244, .6264, .6265, .6294, .6295, .6304, .6305, .6325 and .6380.

**Limited-application Device (LAD),** Model(s): 47.360 with suffixes .1010, .1020, .1030, .1040, .1110, .2050, .2100, .5080, .5090, .9201, .9202, .9203, .9204, .9205, .9301, .2105, .1025, .5084, .5010, .5015 which may be provided with additional prefixes and/or suffixes for commercial purposes.

**Limited-application Device (LAD),** Model(s): 47.361.2010 which may be provided with additional prefixes and/or suffixes for commercial purposes.

Limited-application Device (LAD), Model(s): 47.363 with suffixes .1001, .1002, .1003, .1004, .1005, .1006.

**Limited-application Device (LAD),** Model(s): 47.371 with suffixes .1031 and .1032 which may be provided with additional prefixes and/or suffixes for commercial purposes

**Limited-application Device (LAD),** Model(s): Cat. No. 47.361.1010 which may be provided with additional prefixes and/or suffixes for commercial purposes.

% - May be provided with additional prefixes and/or suffixes for commercial purposes.

( & ) - which may be provided with additional prefixes and/or suffixes for commercial purposes.

<u>Last Updated</u> on 2024-02-15

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."